



Seduction



2M & 3M WIDE



BUR OAK BLONDE
PR: 200W X 150L ↑↑
PTS: 20W X 150L



BUR OAK BRONZE
PR: 200W X 150L ↑↑
PTS: 20W X 150L



BUR OAK GREY
PR: 200W X 150L ↑↑
PTS: 20W X 150L



LEGACY OAK LIGHT GREY
PR: 100W X 133L ↑↑
PTS: 20W X 133L



ROCK CHARCOAL
PR: 100W X 100L ↑↓
PTS: NONE



ROCK MIDDLE GREY
PR: 100W X 100L ↑↓
PTS: NONE



robert malcolm
passionate about quality for over 140 years

WWW.ROBERTMALCOLM.CO.NZ

Residential Vinyl Seduction

Specifications:




Domestic
heavy




Commercial
general



Slip
resistant



Reduces
noise



Light
fastness



Thermal
resistance



Chemical
resistant



15
year guarantee

European classification ISO 10874 -	23 – 32
Total thickness -	2.40 mm
Wear layer -	0.35 mm
Wear layer treatment -	Extreme Protection
Total weight -	1580 g/m ²
Width -	2 m & 3 m
Standard Length	25 m
Slip resistance DIN 51130 -	R10
Inflammability EN 13501-1 -	Cfl-S1
Critical Radiant Flux ISO 9239.1:2010 -	6.40 KW/m ²
Acoustical insulation EN ISO 717-2 -	16 dB
Light fastness ISO 105-B02 -	≥ 6
Underfloor heating -	Suitable
Thermal resistance ISO 10456 -	0.03 m ² /kW
Resistance to household chemicals -	OK
Residual indentation EN ISO 24343-1 -	≤ 0.20 mm
Dimensional stability EN ISO 23999 -	≤ 0.15
Formaldehyde group EN 717-1 -	E1
Total VOC emissions EN 16516 -	Gold
Warranty (year) -	15 years (Residential use)

- RUBBER MIGRATION: This is a condition that can cause vinyl to discolour. Migration occurs when latex or rubber products such as shoes, rubber backed mats or rubber soled slippers come into contact with vinyl over a period of time. This is not a manufacturing fault and therefore is not covered under our warranties.
- Warranties are extended to the original purchaser of the product only and are not transferable.

Please contact us on 03 366 9839 to request any samples or other product details.

international
flooring solutions

p 03 366 9839 e office@robertmalcolm.co.nz
10 Establishment Drive, Christchurch 8042, New Zealand
robertmalcolm.co.nz



robert malcolm